1. A cellulosic structure, said structure comprising cellulosic fibers and a chemical softening composition, said chemical softening composition comprising:

   a softening active ingredient, wherein said softening active ingredient comprises a quaternary ammonium compound;

   an electrolyte; and

   a bilayer disrupter.

2. The cellulosic structure of Claim 1 wherein said quaternary ammonium compound has the formula:

$$(R_1)_{4-m} - N^+ - [(CH_2)_n - Y - R_3]_m \quad X^-$$

wherein

Y is -O-(O)C-, or -C(O)-O-, or -NH-C(O)-, or -C(O)-NH-;

m is 1 to 3;

n is 0 to 4;

each R_1 is a C_1-C_6 alkyl or alkenyl group, hydroxyalkyl group, hydrocarbyl or substituted hydrocarbyl group, alkoxylated group, benzyl group, or mixtures thereof;

each R_3 is a C_{13}-C_{21} linear or branched alkyl or alkenyl group, hydroxyalkyl group, hydrocarbyl or substituted hydrocarbyl group, alkoxylated group, benzyl group, or mixtures thereof; and

X^- is any softener-compatible anion.

3. The cellulosic structure of Claim 2 wherein m is 2, n is 2, R_1 is methyl, R_3 is C_{15}-C_{17} alkyl or alkenyl, and Y is -O-(O)C-, or -C(O)-O-.

4. The cellulosic structure of Claim 3 wherein X^- is chloride or methyl sulfate.

5. The cellulosic structure of Claim 2 wherein said chemical softening composition further comprises a plasticizer.

6. The cellulosic structure of Claim 5 wherein said plasticizer is selected from a group consisting of polyethylene glycol, polypropylene glycol and mixtures thereof.

7. The cellulosic structure of Claim 1 wherein said electrolyte comprises a salt selected from the group consisting of the chloride salts of sodium, calcium, and magnesium.

8. The cellulosic structure of Claim 1 wherein said bilayer disrupter is used at a level of between about 2% and about 15% of the level of said softening active ingredient.

9. The cellulosic structure of Claim 1 wherein said bilayer disrupter is selected from the group consisting of:

1. nonionic surfactants derived from saturated and/or unsaturated primary and/or secondary, amine, amide, amine-oxide fatty alcohol, fatty acid, alkyl phenol, and/or alkyl aryl carboxylic acid compounds having from about 6 to about 22 carbon atoms in a hydrophobic chain, wherein at least one active hydrogen of said compounds is ethoxylated with ≤ 50 ethylene oxide moieties to provide an HLB of from about 6 to about 20;

2. nonionic surfactants with bulky head groups selected from:

a. surfactants having the formulas:





wherein Y" = N or O; and each R^5 is selected independently from the following:

-H, -OH, -(CH_2)xCH$_3$, -O$(OR^2)_z$-H, -OR^1, - OC(O)R^1, and -CH$(CH_2$-$(OR^2)_{z''}$-H)-CH_2-$(OR^2)_{z'}$-C(O) R^1, x and R^1 are as defined above and 5 ≤ z, z', and z'' ≤ 20; and

b. polyhydroxy fatty acid amide surfactants of the formula:

$$R^2 - C(O) - N(R^1) - Z$$

wherein: each R^1 is H, C_1-C_4 hydrocarbyl, C_1-C_4 alkoxyalkyl, or hydroxyalkyl; R^2 is a C_5-C_{21} hydrocarbyl moiety; and each Z is a polyhydroxyhydrocarbyl moiety having a linear hydrocarbyl chain with at least 3 hydroxyls directly connected to the chain, or an ethoxylated derivative thereof; and

3. cationic surfactants having the formula:

$$\{R^1{}_m - Y - [(R^2\text{-}O)_z - H]_p\}^+ X^-$$

wherein R^1 is selected from the group consisting of saturated or unsaturated, primary, secondary or branched chain alkyl or alkyl-aryl hydrocarbons; said hydrocarbon chain having from about 6 to about 22 carbon atoms; each R^2 is selected from the following groups or combinations of the following groups: -$(CH_2)_n$- and/or -[CH$(CH_3)CH_2$]-;Y is selected from the following groups: =

N^+-$(A)_q$; -$(CH_2)_n$-N^+-$(A)_q$; -B-$(CH_2)_n$-N^+-$(A)_2$; -(phenyl)-N^+-$(A)_q$; -(B-phenyl)-N^+-$(A)_q$; with n being from about 1 to about 4, wherein each A is independently selected from the following groups: H; C_{1-5} alkyl; R^1; -$(R^2O)_z$-H; -$(CH_2)_xCH_3$; phenyl, and substituted aryl; where $0 \leq x \leq$ about 3; and each B is selected from the following groups: -O-; -NA-; -NA_2; -C(O)O-; and -C(O)N(A)-; wherein R^2 is defined as hereinbefore; q = 1 or 2; total z per molecule is from about 3 to about 50; and X^- is an anion which is compatible with fabric softener actives and adjunct ingredients.

10. The cellulosic structure of Claim 9 wherein said bilayer disrupter is a nonionic surfactant having a hydrophobic moiety that is selected from the group consisting of: fatty alcohols having between about 8 and about 18 carbon atoms and alkyl phenols having between about 8 and about 18 carbon atoms wherein said hydrophobic moiety is ethoxylated with between about 3 and about 15 ethylene oxide moieties.

11. The cellulosic structure of Claim 10 wherein said cellulosic structure comprises a tissue paper, wherein said tissue paper comprises one or more plies.